

GRAYSON COUNTY HEALTH DEPT. ROUTINE INSPECTIONS

RETAIL FOOD ESTABLISHMENT PERMITTING AND SANITATION INSPECTIONS

The following food sanitation inspections were conducted by the Grayson County Health Center. The rating score of the establishment is determined by subtracting weighted point totals of noted violations from 100 (one hundred). Unannounced inspections observe the overall operation including food source and protection, personnel, food equipment and utensils, maintenance of water and sewage systems, garbage and refuse disposal, insect, rodent and animal control, and storage of toxic items among others.

Critical violations 4 (four) or 5 (five) points in weight are items which uncorrected carry the potential as an imminent threat to the public's health.

(*DENOTES AN ITEM REQUIRING CORRECTION AND **A CRITICAL VIOLATION & MANDATORY FOLLOW-UP INSPECTION)

February 10, 2009

Dairy Barn 601 Morgantown Road, Caneyville- Regular food service inspection rating - 93% Violations: chest type freezer doors in poor repair, 3 compartment sink inoperable during food prep, cutting board at sandwich station in poor repair, floor tiles in poor repair in food prep area, light over chest freezer lacks end cap on shield.

Parkway Marathon 611 Morgantown Road, Caneyville-Regular food and retail service inspection rating – Food 92%, Retail 97%, 97% immediate follow-up, Violations: *BBQ sandwiches, ribeye sandwiches, biscuits out of temperature* (destroyed), ice scoop improperly stored, no hair restraints in food prep area, walk in floor very unclean, ceiling tiles stained.

Fastway #14 (BP) 512 Morgantown Road, Caneyville-Regular food and retail service inspection rating - Food 97%, Retail 92%, 97% immediate follow-up, Violations: Vicks 44 D cough relief 4 oz bottles expired* (destroyed), shelving dusty, drink storage room carpeted flooring, floor tiles in retail & food prep areas in poor repair, ceiling tiles stained, no hair restraints worn in food prep area.

Caneyville Coffee Shop 403 E Maple Street, Caneyville-Regular food service inspection rating - 100%

Ready Mart Hwy 62 & 224, Clarkson-Regular food and retail service inspection rating - Food 100%, Retail 99%, Violations: Floor tile needs repair.

Jerry's Corner Market 3670 St Paul Rd, Leitchfield-Regular food and retail service inspection rating -Food 99%, Retail 98% Violations: no hair restraints during food preparation, reach in freezer needs defrosting.

Logsdon's Quickstop 203 Millerstown Road, Clarkson-Regular food and retail service inspection rating - Food 100%, Retail 95% & 100% immediate follow-up. Violations: *out of date medication* (removed).

Barrett's Chevron 918 Millerstown Road, Clarkson-Regular food and retail service inspection rating - Food 100%, Retail 100%

Horntown General Store 4804 Millerstown Road, Clarkson-Regular food and retail service inspection rating - Food 100%, retail 100%.

All About Kids Child Care 133 Fountain View Drive, Leitchfield- Regular food service inspection rating-100%.

February 11, 2009

Big Clifty General Store 9998 Elizabethtown Road, Big Clifty-Regular food and retail service inspection rating - Food 100%, Retail-99%, Violations: floor tile needs repair.

The Spot 16639 Leitchfield Road, Big Clifty- Regular food service inspection rating-95%, Violations: items in freezer not covered properly, no hair restraint, no soap at hand washing sink.

Bland's One Stop Shop 124 W. Main Street, Clarkson-Regular food and retail service inspection ratings - Food 94%, Retail 92% & 97% immediate follow-up, Violations: no hair restraints, cutting board not easily cleanable, needs replacement, microwave dirty, floor needs cleaning, wall needs repair, onion on floor of walk-in cooler, floor of walk-in cooler dirty, *medication out-of date- nasal decongestant expired* (removed)

B & J Market 11209 Elizabethtown Road, Big Clifty- Regular food and retail service inspection ratings - Food 100%, Retail 100%

February 12, 2009

Hornback Salvage 922 Little Clifty Church Road, Big Clifty- Regular food service inspection rating - 93%, Violations: sink dripping in men's restroom, *outside kitchen door has crack under and around-insects could crawl inside building*, clutter on top of water heater.

February 16, 2009

B B's Italian 706 S. Main Street, Leitchfield-Regular food and retail service inspection rating - 92%, Violations: cutting boards in poor repair, bare wood shelving where can goods are stored, can opener unclean, floors in poor repair in some areas in back, ceiling tile missing by dishwasher, light at drive thru lacks shields.

Crickett's 520 E. Maple Street, Caneyville-Regular food service inspection rating - 100%

B & B Korner Kitchen 208 N. Main Street, Caneyville-Regular and follow-up food service inspection ratings- 93%, 98% immediate follow-up, Violations: *ashtray in food prep area* (corrected), no hair restraint worn in food prep area, floor in poor repair by kitchen door.

Green's IGA Hwy 62, Caneyville-Regular retail service inspection rating 93% - Violations: no hair restraint worn in meat department, floor unclean in walk-in freezer, ceiling tiles stained in some areas, *outer opening unprotected at back door by walk-in cooler*

Play Zone 204 Marion Street, Leitchfield-Regular food service inspection rating - 98% Violations: no hair restraint in food prep area, ceiling tiles stained.

February 18, 2009

Caneyville Elementary School 521 E. Maple Street, Caneyville- Regular food service inspection rating - 100%.

February 19, 2009

Clarkson Elementary Hwy 62 E, Clarkson- Regular food service inspection rating -98% Violations: floor tile needs repair in some areas, walls & ceiling tiles stained/missing.

February 23, 2009

K's Café 102 W. Main Street, Clarkson- Regular food service inspection rating 96% - Violations: cutting boards need replacement, microwave needs cleaning.

St. Paul School 1812 St Paul Road, Leitchfield- Regular food service inspection rating - 99%, Violation: dust build-up on vent over stove.

Hornback Salvage 922 Little Clifty Church Road, Big Clifty - Follow-up food service inspection rating 100%

February 26, 2009

Bailey's Zip Mart 6159 Beaver Dam Road, Leitchfield- Regular food and retail service inspection ratings - Food 97%, Retail 98%, Violations: chest freezer in need of defrosting, test strips needed, build-up inside cappuccino machine & build-up on outside of drink machine, ceiling stained in some areas, build-up on vents.

Green's IGA Hwy 62, Caneyville-Follow-up retail service inspection rating - 97%,
Violations: no hair restraint worn in meat department, floor unclean in walk-in freezer,
ceiling tiles stained in some areas